




## ALEMITE HAND GUNS




11 in. All Steel Farm Grease Gun  
With hydraulic coupler. Spring fed.  
No. 1010 ..... Each \$3.75  
Ten in a Shipping Container




Regular, 1/2 lb. capacity pin type hand gun, to be  
used with hose. Diam. 1 1/8 in., length 8 in.  
No. C600 ..... Each \$4.25



Farm type gun, 17 oz. capacity. Hydraulic  
coupler extension, swivels 360° for access to out  
of the way fittings. 10 1/2 in. overall.  
No. 4021 ..... Each \$3.95




Top quality lever gun with loader fitting, hy-  
draulic extension and coupler. Develops up to  
10,000 lbs. pressure. Gun length 15 1/2 in. Capacity  
1 lb.  
No. 4013A ..... Each \$10.50



Designed for severe operating conditions. 21 oz.  
capacity, 19 in. long. Small piston for high pres-  
sures up to 10,000 lbs.  
No. 6243J ..... Each \$25.60

Large piston for medium pressure and maximum  
delivery.  
No. 6679J ..... Each \$25.60



Push type hand gun with hydraulic coupling.  
20 3/4 in. long, 1 3/4 lb. capacity. Develops up to  
10,000 lbs. pressure.  
No. 7553 ..... Each \$8.50



Push type hand gun with loader fitting. 14 3/4 in.  
long, 9 oz. capacity. Hydraulic coupling. Develops  
up to 10,000 lbs. pressure.  
No. 7584 ..... Each \$4.95

Same as No. 7584 except without loader fitting.  
No. 7585 ..... Each \$4.60



5 oz. hand gun with hydraulic coupling. De-  
velops up to 10,000 lbs. pressure. 15 in. long. Also  
available with push type nozzle.  
No. 6556 ..... Each \$2.65

Same as above but for use with fluid oils only.  
No. 6556W ..... Each \$2.75

## ALEMITE HAND GUNS



12 oz. capacity oil suction gun for draining and  
refilling.  
No. 6270C ..... Each \$6.95

## ALEMITE HAND GUN ACCESSORIES



13 3/8 in. oil resisting hose with pin type coupling  
for use with lever hand guns. 1/8 in. pin type  
connection.

No. A908A ..... Each \$4.65

13 3/8 in. oil resisting hose with pin type coupling.  
1/8 in. P. T. screwed end, for use with C600 gun.  
No. A1039 ..... Each \$2.20



Same as A1039 except with standard button head  
coupling and 15 in. overall length.

No. 7089 ..... Each \$7.70




14 in. oil resisting hose with hydraulic coupling.  
1/8 in. pin type.

No. 6652 ..... Each \$4.50


Same as 6652 but 20 in. long.

No. 6654 ..... Each \$5.00



17 1/2 in. oil resisting hose with 1/4 in. pin type  
end connection and giant button head coupling.  
This item is fair traded.

No. 6829A ..... Each \$10.85



6 5/8 in. pipe extension with hydraulic coupling.  
No. 6638 ..... Each \$1.00

## ALEMITE HYDRAULIC COUPLINGS




Hydraulic coupling for use with lever type hand  
guns and with No. 6320 control valves.

No. 6304B ..... Each \$1.00

Same as above but with built-in ball check.  
No. 6304C ..... Each \$1.00  
In Boxes of Four

## ALEMITE OIL SPRAYER NOZZLES




Air operated oil sprayer. Nozzle adjustable to  
any direction. Flow easily regulated. Capacity  
one quart.

This item is fair traded.

No. 5328 ..... Each \$11.75


## ALEMITE PIN TYPE FITTINGS



Straight pin type coupling, 1 in. long, 1/8 in. P. T.  
No. A336 ..... Each \$0.15  
In Boxes of Fifty

Straight pin type coupling, 1-3/32 in. long, 1/8 in.  
P. T.

No. A359 ..... Each \$0.31  
In Boxes of Twelve




45° angle pin type coupling, 1-9/16 in. long,  
1/8 in. P. T.

No. A684 ..... Each \$0.30

90° angle pin type coupling, 1-1/16 in. long,  
1/8 in. P. T.

No. A358 ..... Each \$0.31  
In Boxes of Twelve

## ALEMITE STANDARD BUTTON HEAD FITTINGS



1/8 in. P. T., 3/4 in. long.

No. A1184 ..... Each \$0.145

1/4 in. P. T., 53/64 in. long.

No. A1186 ..... Each \$0.172  
In Boxes of Fifty

3/8 in. P. T., 61/64 in. long.


No. A1188 ..... Each \$0.227  
In Boxes of Twelve

## ALEMITE STANDARD DOT FITTINGS



1-15/64 in. long by 1/8 in. P. T.

No. 1461 ..... Each \$0.18  
In Boxes of Twelve



90° angle, 1 in. long by 1/8 in. P. T.

No. 1463 ..... Each \$0.31

45° angle, 1-21/32 in. long by 1/8 in. P. T.

No. 1465 ..... Each \$0.31  
In Boxes of Twelve



## ALEMITE STANDARD HYDRAULIC FITTINGS



1/4 in. straight fitting, 1/2 in. P. T.  
No. 1610.....Each \$0.064  
In Boxes of 100

1-1/64 in. 30° angle fitting, 1/2 in. P. T.  
No. 1611.....Each \$0.135  
In Boxes of Fifty

53/64 in. 67 1/2° angle fitting, 1/2 in. P. T.  
No. 1612.....Each \$0.135  
In Boxes of Fifty

49/64 in. 85° angle fitting, 1/2 in. P. T.  
No. 1613.....Each \$0.135  
In Boxes of Fifty

1-3/16 in. 67 1/2° angle fitting, 1/2 in. P. T.  
No. 1623.....Each \$0.238  
In Boxes of Twelve

59/64 in. straight fitting, 1/2 in. P. T.  
No. 1627.....Each \$0.167  
In Boxes of Fifty

1 in. 67 1/2° angle fitting, 1/2 in. P. T.  
No. 1629.....Each \$0.226  
In Boxes of Fifty

21/64 in. straight fitting, 1/4 in., 28 thread.  
No. 1641.....Each \$0.075  
In Boxes of Twelve

31/32 in. 45° angle fitting, 1/4 in., 28 thread.  
No. 1636.....Each \$0.165  
In Boxes of Twelve




Drive fitting for bearings. Drilled but not tapped. Drill size 3/16 in., length 3/8 in.

No. 1633.....Each \$0.0695  
In Boxes of Twelve




41/64 in. long, 1/2 in. P. T. with ball check at top.  
No. 1980.....Each \$0.064  
In Boxes of 100

## ALEMITE SAFETY AND RESERVOIR TYPE FITTINGS




For use on wheel bearings, motor bearings, etc. Fitting bleeds excess lubricant at an average pressure of 50 lbs. Ball check at top keeps out foreign matter. 55/64 in. by 1/2 in. P. T.

No. 1988.....Each \$0.169  
In Boxes of Twelve



Hydraulic reservoir cup for close fitting bearings. 2-3/16 in. long, 1/8 in. P. T.

No. 1740.....Each \$0.513  
In Boxes of Four



Automatic pressure cup for use on machine bearings to provide continuous pressure lubrication only while the bearing is in motion. 1 oz. capacity, 1/4 in. P. T. Length with plunger in 4 1/2 in.; plunger out 5 1/2 in.


No. G43530.....Each \$3.95

## ALEMITE LOADER PUMPS



For filling hand guns and 1 lb. power guns equipped with loader fitting. Prevents contamination of lubricant. Portable model with 35 lb. container.

No. 6425E.....Each \$23.50



Stationary model for filling guns directly from original 100 lb. drum.

No. 6721E.....Each \$23.50

Similar to above except with longer tube and screws into 2 in. P. T. bung hole of 400 lb. drum. Drum cover is omitted.

No. 6723E.....Each \$23.50



Loader adapter for use with loader pumps to accommodate guns equipped with G306740 loader fittings.

No. G309700.....Each \$2.90



Loader fitting for installing in lever or push type guns by drilling and tapping with 1/8 in. P. T.


No. G306740.....Each \$0.40

## ALEMITE BUCKET PUMPS




Volume pump up to 3,000 lbs. pressure. Delivers one pound with 17 strokes. Automatic pressure release on handle. 35 lb. capacity. 22 in. high, outlet 3/8 in. P. T. with 5 1/2 ft. hose.

No. 6536C.....Each \$36.65




Develops 7,000 lbs. pressure. Handles heavy lubricants and fibrous greases. Delivers 1/4 oz. per stroke. Capacity 30 lbs. Height 28 1/2 in., with 5 1/2 ft. hose.

No. 6712D.....Each \$47.80



Foot operated. Develops up to 8,000 lbs. pressure. Equipped with adapter box, hose hanger, follower plate, grease strainer and air pocket release valve. Delivers 1/8 oz. per stroke. Height 22 1/2 in. Length of 19 in. hose included.

No. 6299L.....Each \$72.35




5 lb. capacity gun, 2,500 lb. pressure, 1/3 oz. per stroke. 13 1/2 in. high, 21 in. long, 5 1/4 in. wide. Equipped with 6 ft. hose and pin type coupling.

This item is fair traded.

No. H5A.....Each \$47.50



## ALEMITE BARREL PUMPS




Heavy duty air operated pump delivers up to four gallons of oil per minute, developing  $4\frac{1}{2}$  times the air pressure used. Fits 54 gallon drum. Has  $4\frac{1}{4}$  in. air motor,  $\frac{3}{4}$  in. P. T. outlet, detachable coupling at air inlet.

This item is fair traded.

No. 7710 ..... Each \$194.00

With 3 in. air motor,  $\frac{1}{2}$  in. P. T. outlet connections, delivering  $2\frac{1}{2}$  gallons per minute at  $2\frac{1}{2}$  times the air pressure used.

No. 7890 ..... Each \$79.50



Heavy duty, air operated, high pressure, for fibrous, heavy and light bodied greases. Models to fit bung hole or with covers for 400 lb. drums. Serve single or multiple outlets. Lubricant pressure 40 times air pressure used.  $\frac{1}{2}$  in. P. T. grease outlets.

Ratio	With Cover	Numbers
40 to 1	7701-B	To Fit Drum Bung Hole
20 to 1	7701-K	7702-B
$7\frac{1}{2}$ to 1	7701-G	7702-B
$5\frac{1}{2}$ to 1	7701-F	7702-F

These items are fair traded.

No. 7701-B ..... Each \$235.00  
 No. 7701-K ..... Each 235.00  
 No. 7701-G ..... Each 235.00  
 No. 7701-F ..... Each 224.50  
 No. 7702-B ..... Each 229.40  
 No. 7702-F ..... Each 218.90

Same as 7701-B except for 100 lb. drum.


This item is fair traded.

No. 7706B ..... Each \$230.00

No. 6735 electrically operated high pressure barrel pump with drum cover to fit 400 lb. drum.  $\frac{1}{2}$  H.P. 110-220 volt A.C. motor, pressure switch, worm drive, 20 ft. electric cord. Equipped with an eye bolt for use where a hoist or crane is available, and with two lifting handles for manual movement. Delivers 1 lb. per minute. Lubricant outlet  $\frac{1}{4}$  in. P. T., height 50 in., width 24 in. Use of  $\frac{3}{8}$  in. I. D. high pressure hose recommended.

No. 6735 ..... Each \$350.00

## ALEMITE VERSATAL SPRAY PUMP EQUIPMENT



Pump operates with original container. 75 lb. weight easily moved to new containers. Sprays paint using from one to six spray heads at one time. May be used with waterproof materials, roofing asphalt emulsions, paints, disinfectants, etc. 54 gallon drum model developing  $4\frac{1}{2}$  to 1 ratio. Finished in yellow baked enamel.

This item is fair traded.


No. 7804D ..... Each \$249.00

54 gallon drum model designated for economical operation, handling up to three spray heads at one time. Finished in white baked enamel, furnished with cover.

This item is fair traded.

No. 7808A ..... Each \$182.35


## ALEMITE TRANSFER PUMPS



Air operated volume delivery pump for semi-fluid and light bodied lubricants. Delivers 20 pounds per minute. Equipped with 3 ft. flexible tubing. To operate merely attach to air line.

This item is fair traded.

No. 5344 ..... Each \$42.50



Heavy duty unit. Empties a 50 gallon drum of SAE 20 oil in two or three minutes. Shut-off valve controls flow. Equipped with 3 ft. of flexible hose and quick detachable air coupling. Absolutely safe as only 5 lbs. pressure can enter drum. Fits 2 in. P. T. bung.

This item is fair traded.


No. 6479 ..... Each \$26.95

Hand operated model, delivering one pound of grease to ten strokes of the hand lever. With 32 in. hose.

This item is fair traded.

No. 6722 ..... Each \$25.50


## ALEMITE TRANSFER PUMPS



Air operated fluid transfer pump for motor oil, anti-freeze, cutting oils, etc. Delivers up to four gallons per minute, controlled by pressure on hand lever. Fits any size drum.  $\frac{1}{2}$  in. P. T. outlet for hose attachment.

No. 7084 ..... Each \$69.50


## ALEMITE SOLUBLE OIL MIXERS



Proportions water and soluble oil, mixing a uniform emulsion. Transfers soluble oil from original drum and delivers it mixed with water in any desired proportion into another container.

No. 6780 ..... Each \$15.95

## ALEMITE PORTABLE POWER PUMPS



Air operated high pressure lubricator, equipped with dolly and pulling handle. Complete with 6 ft. of hose, control valve and hydraulic coupling. Available pressure 40 times air pressure used.

This item is fair traded.

No. 7306 ..... Each \$160.85

Same as above except low pressure at four times air pressure used. Equipped with gear lubricant meter and control valve with no drip nozzle.

This item is fair traded.

No. 7308 ..... Each \$157.00

Low pressure stationary model for volume delivery through pipe lines. With hood and cover for 400 lb. drum. Fits 2 in. P. T. bung hole.

This item is fair traded.

No. 7394A ..... Each \$116.50

High pressure stationary model, 40 times air pressure used. Otherwise same as No. 7394A.

This item is fair traded.

No. 7395A ..... Each \$131.25